



Library and Knowledge Services

Mental Health Current Articles Bulletin –December 2025

How to Obtain an Article

If you would like to request any articles included in this bulletin, or to be put onto the bulletin's distribution list, please contact Library and Knowledge Services at Grantham Hospital:

Tel: 01476 464321

email: ulth.library.grantham@nhs.net

If you would like to receive any of our other bulletins please sign up here:
<https://www.nhslincslibrary.uk/bulletin-request-form/>

*If you require an in-depth search on a topic featured in this bulletin then please contact
ulth.clinical.librarian@nhs.net*

Abuse/Violence/Bullying

Domestic abuse experienced by colleagues: how to help

Gregory A

British Journal of Nursing 34 (21) 1090—1092

A scoping review of risk and protective factors for right-wing extremist violence

Knable J et al

Aggression and Violent Behavior 85 (Nov) 102098

The detrimental effect of combined risks on mind-wandering: a response surface analysis of childhood family abuse and peer bullying

Zhang Z et al

Child Abuse & Neglect 170 (Dec) 107788

Coercive control and intimate partner violence: relationship with personality disorder severity and pathological narcissism

Day N et al

Personality and Mental Health 19 (4) e70038

ADHD

ADHD as a circadian rhythm disorder: evidence and implications for chronotherapy

Luu B, Fabiano N

Frontiers in Psychiatry 16 (2025) ADHD

Benefits and harms of ADHD interventions: umbrella review and platform for shared decision making

Gosling C et al

BMJ 391 (8477) e085875

Oppositional Defiant Disorder in Autism and ADHD

Mayes S et al

Journal of Autism and Developmental Disorders 55 (11) 4092-4105

Integrative literature review – the impact of ADHD across women's lifespan

Krebs K et al

BMC Women's Health 25 (1) 593

Autism

Exploring open dialogue and autism: a qualitative client-perspective study

Lorenz-Artz K et al

PLOS Mental Health 2025 exploring open dialogue

Autism in schizophrenia and its original link to self-disorder: returning a borrowed concept

Henriksen M et al

Lancet Psychiatry 12 (12) 960-968

Effectiveness of multilevel implementation strategies for autism interventions: outcomes of two linked implementation trials

Brookman-Frazee et al

Journal of the American Academy of Child & Adolescent Psychiatry 64 (12) 1386-1400

Bridging the gap: unveiling key links between autism and anxiety symptoms in autistic children and youth using a network analysis in pooled data from four countries

Zaidman-Zait A et al

Child and Adolescent Mental Health 30 (4) 327-342

Bereavement and Grief

"I thought he had longer than that": family caregivers experiences of grief, loss and bereavement in residential aged care

Vandersman P et al

BMC Palliative Care 24 (1) 296

Grief attack questionnaire: instrument construction and initial validation

Lee S et al

Death Studies 2025 (Nov) grief attack questionnaire

Prevalence rates of prolonged grief disorder are overestimated

Eisma M

European Journal of Psychotraumatology 16 (1) 2520634

Child and Adolescent Issues

Possibility of family therapy interventions involving parent-therapist alliances based on a Buddhist concept for adolescent patients who refuse psychiatric therapy

Inagaki, T

Asian Journal of Psychiatry 114 (Dec) 104742

Children's literature on anxiety: a systematic review and content analysis

Crane M et al

Behavior Therapy 56 (6) 1096-1104

Effects of six types of exercise interventions on inhibitory control, executive function and gross motor skills in children with ADHD: a network meta-analysis of 26 randomized controlled trials

Ouyang J et al

Brain and Behavior 15 (12) e71069

Complex trauma

Interplay between complex trauma, dialectical core schemas and emotional processing difficulties

Casanovas D et al

European Journal of Trauma & Dissociation 9 (4) 100599

Journeys and experiences accessing trauma support for Black adults with complex trauma: a qualitative study

Benjamin L et al

SSM – Mental Health 6 (Dec) 100498

Complex trauma and perceived barriers to treatment among people accessing a supervised injecting facility

Ali Cheetham et al

European Journal of Psychotraumatology 16 (1) 2558241

Effectiveness of trauma-focused cognitive behavioral therapy on quality of trauma-related memory, dissociative experiences and body image dissatisfaction in adolescents with complex post-traumatic stress disorder: a randomized controlled clinical trial

Shahkaram H et al

Journal of Education and Health Promotion 14 (1)

Dementia and Alzheimer's Disease

Five-year dementia prediction and decision support system based on real-world data

Exarchos T et al

Frontiers in Aging Neuroscience 2025 (Dec) 1-14

Alzheimer Syndrome or Age-Related Dementia – history, therapy and prevention

Bermejo-Pareja F et al

Journal of Clinical Medicine 14 (21) 7752

Global trends in Alzheimer's disease and other dementias: a comprehensive analysis of incidence, socio-demographic variations and future projections

Qin R et al

PLoS One 20 (12) global trends

Ethnoracial disparities in advanced care planning among people with Alzheimer's Disease and related dementias

Amano T et al

American Journal of Geriatric Psychiatry 33 (11) 1159-1170

Depression/Depressive Disorders

This and that in depression: cross-linguistic semantic effects

Kruse L et al

PLOS Mental Health 2025 this and that

Interaction between ghrelin and social support predicts antidepressant treatment outcomes in patients with depression

Kim J et al

Psychoneuroendocrinology 181 (Nov) 107609

Higher depressive symptoms are associated with lower eating competence among patients with moderate to severe depressive disorder

Kipfer A et al

Journal of Psychiatric Research 191 (Nov) 271-276

Disorders

Grasping posttraumatic stress disorder from the perspective of psychoneuroimmunoendocrinology: Etiopathogenic mechanisms and relevance for integrative management

Fraile-Martinez O et al

Biological Psychiatry 98 (10) 733-745

Hair pulling since toddlerhood: a rare case of very early-onset trichotillomania

Yuvasree S et al

Asian Journal of Psychiatry 114 (Dec) 104760

The Perfectionism Paradox: the role of perfectionism on depression and suicidal ideation symptom severity during partial hospitalization

Bockhorst J et al

Behavior Therapy 56 (6) 1133-1142

Limited evidence and ethical considerations in rTMS trials for adolescents with obsessive-compulsive disorder

Leo R et al

BJPsych Bulletin 49 (6) 359-361

Cognitive subgroups in bipolar disorder: associations with brain-derived neurotrophic factor and C-reactive protein

Demir A et al

BJPsych Open 12 (1) e9

State-dependent skin temperature increase during manic episodes of bipolar disorder

Valenzuela-Pascual C et al

Journal of Affective Disorders 369 (Nov) 119643

Assessing executive functioning in individuals with social anxiety disorder (SAD) across the lifespan: a systematic literature review and meta-analysis

Harrison, A et al

Journal of Anxiety Disorders 115 (Oct) 103056

Eating Disorders

Semaglutide-associated worsening of atypical anorexia nervosa in an adolescent girl: case report

Liekens L et al

BJPsych Open 12 (1) e2

Global, regional and national burdens of eating disorders in adolescents and young adults aged 10-24 years from 1990 to 2021, with projections to 2040

Xu Y et al

Journal of Affective Disorders 369 (Nov) 119680

Restrictive and binge-purge OSFED Variants: clinical features and comparisons with classical eating disorders

Booij L et al

International Journal of Eating Disorders 58 (11) 2241-2245

Forensic Psychiatry/Psychology

Quantifying the experiences of Black and Dual Heritage young people in a forensic child and adolescent mental health service

Sandiford M et al

BJPsych Bulletin 49 (6) 362-370

A pilot study of SEE DAR CBT in prison settings: effects of PTSD symptoms and recidivism rates

Post-traumatic stress disorder and childhood trauma are prevalent in prison populations, linking traumatic experiences to criminal behavior. This study aimed to examine the effectiveness of SEE FAR cognitive behavioral therapy in reducing post-traumatic stress disorder symptoms, depression, and subjective distress among male inmates, and to explore recidivism rates. SEE FAR cognitive behavioral therapy combines cognitive behavioral therapy, somatic experience, and imagery-based methods, incorporating therapeutic cards with artistic drawings to facilitate trauma processing across cultural barriers.

Gur A et al

Journal of Behavioral & Cognitive Therapy 35 (4) 100536

A culturally informed audit of psychological formulations completed in prison and community settings on the Offender Personality Disorder Pathway

Monero D et al

Criminal Behaviour and Mental Health 35 (5) 256-262

A systematic review of substance misuse treatment processes and outcomes as implemented in prisons for men in the UK

Barnett K et al

Criminal Behaviour and Mental Health 35 (5) 279-289

Patient-centered care competence in high-security forensic psychiatric nurses: the role of professional self-efficacy and attitudes toward forensic patients

Varol B et al

Journal of Psychiatric and Mental Health Nursing 32 (6) 1325-1333

Intellectual or Learning Disabilities

'I don't think they've ever seen people like me do jobs like this': exploring hope within strengths-based employment services for people with disability

Carr-Kirby K et al

JARID 38 (2025) e70147

A call for inclusion: children with intellectual disabilities in trauma treatment research

Moore Z et al

Journal of Intellectual Disability Research 69 (11) 1272-1283

Exploring the perceptions of teachers, school principals and parents about the importance of classifying students with learning difficulties

Al-Qahtani M et al

Educational Process International Journal 18 (2025) 1-19

The implementation of community engagement models amongst people with learning disabilities in the context of health and social care: a systematic review

Iqbal S et al

British Journal of Learning Disabilities 53 (4) 540-554

LGBTQ+

Impact of hospitals' LGBTQ+ inclusion efforts on patient satisfaction from 2016 to 2023: a retrospective longitudinal observational study

Vu H et al

BMJ Quality & Safety 34 (11) 718-728

2SLGNTQ+ patients' experiences in the pharmacy in British Columbia, Canada

Two-Spirit, lesbian, gay, bisexual, transgender, queer, intersex, and additional people who identify as part of sexual and gender diverse communities (2SLGBTQ+) experience worse health outcomes than cisgender heterosexual counterparts. This is attributable to structural oppression within the health care system, which manifests as health care providers' lack of knowledge and training in 2SLGBTQ+ health.

Chen L et al

Canadian Pharmacist Journal 158 (6) 368-377

Metaverse support groups for LGBTQ+ youth: an observational study on safety, self-expression, and early intervention

Hasei J et al

Journal of Metaverse 5 (2) 156-167

The role of sleep quality and duration in associations between daily minority stress and next-day suicidal ideation in LGBTQ+ youth

Nikolaidid-Konstas A et al

Journal of Affective Disorders 15 (Dec) 119951

Miscellaneous

Systematic exploration of the lives and minds of eighteenth-century English murderers: causal narratives in the accounts of condemned prisoners published by the Ordinaries of Newgate between 1700 and 1750

Historical narratives describing the development of systematic approaches to understanding the psychology of aggression commonly begin in the latter part of the nineteenth century. However, this ignores an important function of the crime literature that was a prevalent part of the huge expansion in publicly available printed material in England in the eighteenth century. The objective of the present study was to examine all issues of a serial publication about criminals (the Ordinary's Account) in the first half of the eighteenth century to identify any notions of causation for homicidal violence. Eighty-three manuscripts written about prisoners convicted of murder between 1700 and 1750 were subject to thematic analysis to identify causal themes. Biographical areas that feature regularly in the narratives are parentage, education, work and marriage status. There is also frequent mention of financial difficulties and previous manifestations of criminality or sinfulness. With regard to processes more proximal to the violent act, as well as explanatory processes invoking the tempting Devil and depravity, this analysis found frequent reference to phenomena that could be considered to represent a perturbed state of mind adopted by the murderer. One of the most common examples of this theme was 'passion' (a term that has been seen to be similar to the current usage of 'emotions') which was often deemed to act in opposition to reason. This study demonstrates that there had

been systematic approaches to understanding the lives and minds of violent offenders before the development of the formalised disciplines of psychology and criminology

Rajan, Nathan

Aggression and Violent Behavior 85 (Nov) 102100

AI-driven music intervention based on five-tone theory for anxiety: a preliminary pre-post feasibility study

Rongrong X et al

Frontiers in Psychology 16 (2025) AI driven music

Thinking when I'm drinking: the interaction of mood and rumination across drinking and non-drinking days

Magri T et al

Journal of Affective Disorders 369 (Nov) 119613

Disaster and mass casualty events – a disaster mental health system approach

Ng, Anthony et al

Psychiatry Research 354 (Dec) 116804

Neurodivergence

Determining unmet need: clinical relevance of suspected neurodivergence in first-episode psychosis

Nikolic N et al

BJPsych Bulletin 49 (6) 385-390

Digitally constructing marginalized neurodivergence: understanding South Asian diasporic autism and ADHD communities on TikTok

Alper M et al

Social Media + Society 11 (2025) 1-12

Parity of esteem in neurodivergence

Tuffrey C

Developmental Medicine & Child Neurology 2025 (Dec)

Psychopharmacology

Recent Advances in Psychopharmacology

The article focuses on the challenges and advancements in psychopharmacology, particularly in the context of clinical trials for psychiatric disorders. It highlights the difficulties in recruitment and the low approval rates for new psychiatric medications, emphasizing the need for innovative strategies such as pharmacogenetics to enhance treatment efficacy. The article reviews recent studies on various psychiatric medications, including new formulations and the role of genetic factors in treatment outcomes, while also discussing the potential of vitamin D as an adjunctive therapy for major depressive disorder. Overall, it underscores the complexity of psychiatric disorders and the necessity for a multifaceted approach to improve treatment strategies

Van Westrenen R, Young A

Pharmaceuticals 18 (11) 1602

Editorial: Enhancing therapeutic strategies: a focus on pharmacovigilance in new wave antidepressants and antipsychotics

Vasiliu O et al

Frontiers in Psychiatry 2025 enhancing therapeutic strategies

Knowledge gaps and systemic challenges in antidepressant prescribing: insights from Jordanian Psychiatry Practice

Abdulhaq B et al

Healthcare 13 (22) 2954

Computationally informed insights into anhedonia and treatment by Kappa opioid receptor antagonism

Bari B et al

Biological Psychiatry 10 (11) 1177-1185

Schizophrenia

Comparative diagnostic performance of artificial intelligence models in structural MRI for schizophrenia: a systematic review and meta-analysis

Kotchinsky M et al

Asian Journal of Psychiatry 114 (Dec) 104759

Psychometric properties of the Social Knowledge test (SKT) and the Combined stories test (COST) in people with a schizophrenia spectrum disorder

Achim A et al

Schizophrenia Research Cognition 42 (10) 100373

Impaired effort allocation in schizophrenia

Blouzard E et al

Schizophrenia Research Cognition 42 (10) 100378

Self-harm and Suicide

A comparison of in-person and digital suicide safety planning quality: a randomized controlled trial of three safety planning administration methods

Hendley T et al

Behavior Therapy 56 (6) 1025-1040

Understanding suicidal thoughts and behaviors in Black youth within the child welfare system: an exploration of protective factors

Mattheij M et al

Child Abuse & Neglect 170 (Dec) 107764

Before the attempt: How people think and plan in suicide crisis

Xu I et al

Journal of Affective Disorders 369 (Nov) 119660

Sleep health/Disorders

Promethazine is not a good option to aid sleep quality, especially for people using psychiatric services

King J

BJPsych Bulletin 49 (6) 424-426

Managing the trajectory of insomnia: from public health to relapse prevention

Ellis J et al

Journal of Behavioral & Cognitive Therapy 35 (4) 100540

Perception and memory of sleep/wake states: implications for the treatment of insomnia

Perlis M et al

Journal of Behavioral & Cognitive Therapy 35 (4) 100539

Tai chi or cognitive behavioural therapy for treating insomnia in middle aged and older adults: randomised non-inferiority trial

Siu P et al

BMJ 391 (8477) e086026

The association between subjective and objective sleep parameters and internalizing and externalizing problems in adolescents

Van der Laars E et al

Sleep Epidemiology Vol 5 (Dec) 100107

Substance abuse/Addiction

Telepsychiatry in addiction treatment: evaluating India's telemedicine guidelines

Muhammed J et al

Indian Journal of Psychiatry 67 (11) 1105

Caring for hospitalized patients with substance use disorders: an interprofessional needs assessment survey

David M et al

American Journal of Medicine Open 14 (2025) 100116

Relapse risk, frustration tolerance, and motivational readiness for change in substance use disorders

Ahmed Zaher et al

BMC Psychology 13 (1) 1-16

Predictive performance for alcohol use disorder of polygenic scores based on the general addiction risk factor and problematic alcohol use

Perez-Gutierrez A et al

Therapies/OT in mental health

A pilot randomized controlled trial to examine the impact of a therapy dog intervention on loneliness in adult patients hospitalized in a psychiatry unit

Gee N et al

Frontiers in Psychiatry 16 (2025) therapy dog intervention

Optimizing workplace digital mental health interventions: systematic review and meta-analysis

Stratton E et al

Journal of Medical Internet Research 27 (2025) e71253

Dyadic attachment-based therapies for infants and young children with mental health problems: a scoping review

Matheson K et al

Child & Adolescent Psychiatry & Mental Health 19 (1) 1-25

The combined effectiveness of neurofeedback and complementary or neuromodulatory therapies on adult mental health: a systematic review

Molaeizadeh S et al

Brain Research Bulletin 233 (Dec) 111623

Veterans and Mental Health

Long-term outcomes of single-dose psilocybin for US military veterans with severe treatment-resistant depression – 12 month data from an open-label pilot study

Ellis S et al

Journal of Affective Disorders 369 (Nov) 119655

Validation of a clinician-administered diagnostic measure of ICD-11 PTSD and complex PTSD: the International Trauma Interview in a clinical sample of military veterans

Melkevik O et al

European Journal of Psychotraumatology 16 (1) validation

Social worker and nurse practitioner consultation: an innovative approach to bridging healthcare service and communication gaps for veterans experiencing homelessness

Judge-Ellis T et al

Health & Social Work 50 (4) 289-296

Relationship between neighborhood walkability, perceived neighborhood features and depression among treatment-seeking veterans

Williams A et al

Acta Psychologica 261 (Nov) 105786

Bulletin prepared by LPFT Library and Knowledge Services
Tel: 01476 464321
email: ulth.library.grantham@nhs.net
www.nhslincslibrary.uk