

Mental Health Current Articles Bulletin – February 2022

How to Obtain an Article

If you would like to request any articles included in this bulletin, or to be put onto the bulletin's distribution list, please contact Library and Knowledge Services at Grantham Hospital:

Tel: 01476 464321

email: library.grantham@ulh.nhs.uk

Copyright

Copyright allows us to copy a maximum of two articles from any issue of a journal, unless it is a thematic issue, for any one individual. We can only copy an article once for the same person. Please check to make sure you have not asked us for the article already.

Did you know?

We can send books to your workplace? You can login to the catalogue [here](#) to reserve books. If you do not have your login details email the above address and we will send them to you. If you haven't joined the library please complete the registration form [here](#) and we will send your login details to you, you can then reserve books. They can be returned via the courier the same way.

Alcohol and Substance Abuse

“It could potentially be dangerous ... but nothing else has seemed to help me”: patient and clinical perspectives on benzodiazepine use in opioid agonist treatment

Park T et al

Journal of Substance Abuse Treatment 131 (Dec) benzodiazepine use

Goal setting and monitoring with alcohol and other drug use disorders: principles and practices

Magill M et al

Journal of Substance Abuse Treatment 132 (Jan) goal setting

An exploration of thriving over time in recovery

Gierrez D et al

Journal of Substance Abuse Treatment 132 (Jan) thriving over time

Cultural specificity in alcohol use disorders

Jürgen Rehm, et al

Lancet 399 (10327) e7-e8

Autism**A callosal biomarker of behavioral interventions outcomes for autism spectrum disorder? A case-control feasibility study with tensor imaging**

Virues-Ortega J et al

PLoS ONE 17 (2) a callosal biomarker

Multidisciplinary approach to assessment and intervention of feeding problems with autism spectrum disorders: a clinical perspective

Beaudry-Bellefeuille I et al

Irish Journal of Occupational Therapy 49 (2) 77-83

Autism spectrum disorders and stalking

Mercer J and Allely C

Journal of Criminal Psychology 10 (3) 201-218

The “Connectivome Theory”: a new model to understand autism spectrum disorders

Zocante L et al

Frontiers in Psychology Vol 12 the connectivome theory

Bereavement and grief**Psychological well-being and depressive symptoms in individuals who have lost a family member by suicide**

Campos E, Pereira A

European Journal of Psychiatry 36 (1) 60-63

The experiences of grief in patients with end-stage kidney disease

Moran A

Nursing Times 118 (2) 46-50

Supporting bereaved family members: three steps in the right direction

Downar J et al

Lancet 399 (10325) 607-609

A three-step support for relatives of patients dying in the intensive care unit: a cluster randomised trial

Downar J et al

Lancet 399 (10325) 656-664

Child and Adolescent Issues

Safer use of antipsychotics in youth (SUAY): should treatment be guided by symptoms

Edelsohn G et al

Journal of the American Academy of Child & Adolescent Psychiatry 61(1) 34-36

Development of a symptom-focused model to guide the prescribing of antipsychotics in children and adolescents: results of the first phase of the Safer Use of Antipsychotics in Youth (SUAY) clinical trial

Penfold R et al

Journal of the American Academy of Child & Adolescent Psychiatry 61(1) 93-102

Predictors of treatment engagement and outcome among adolescents with Attention-Deficit/Hyperactivity Disorder: an integrative data analysis

Sibley M et al

Journal of the American Academy of Child & Adolescent Psychiatry 61(1) 66-79

Bipolar disorder in pediatric patients: a nationwide retrospective study from 2000-2015

Campos A et al

Journal of Affective Disorders Vol 298A 277-283

Cyberbullying victimization and non-suicidal self-injury in adolescents: testing a moderated mediating model of emotion reactivity and dispositional mindfulness

Zhao H et al

Journal of Affective diseases Vol 299 (Feb) 256-263

Fear and anxiety in girls aged 7 to 11 years old and related factors during the coronavirus pandemic

Shahebabaki P et al

Clinical Child Psychiatry and Psychology 28 (1) 259-268

Preliminary evidence for behavioural and electrophysiological validity of an emoji dot-probe paradigm for young adults with depression

Wong M et al

Asian Journal of Psychiatry Vol 68 (Feb) preliminary evidence

Caffeine-related genes influence anxiety disorders in children and adults with ADHD

Fraporti T et al

Journal of Psychiatric Research Vol 145 (Jan) 353-360

Covid-19

What are the mental health impacts of epidemics on relatives of people affected and relatives of healthcare workers: what interventions are available to support them? A systematic review and narrative synthesis

Gentry S et al

Comprehensive Psychiatry Vol 113 (Feb) mental health impacts

The transition of academic Mental Health Clinics to Telehealth during the Covid-19 pandemic

Folk J et al

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 277-290

Prevalence of post-traumatic stress disorder among survivor of severe Covid-19 infections: a systematic review and meta-analysis

Nagarajan R et al

Journal of Affective Disorders Vol 299 (Feb)

Long-term effects of Covid-19 on mental health: a systematic review

Bourmistrova N et al

Journal of Affective diseases Vol 299 (Feb) 118-125

Why social distancing can affect our emotions: social touch and its effect on neurobehavioural networks

Sarah Jane Palmer

British Journal of Neuroscience Nursing 18 (1) 45–46

Dementia and Alzheimer's Disease

Managing neuropsychiatric symptoms in patients with dementia

Watt J et al

BMJ 376 (8323) managing neuropsychiatric symptoms

Apathy as a treatment target in Alzheimer's Disease: implications for clinical trials

Mortby M et al

American Journal of Geriatric Psychiatry 30 (2) 119-147

Cost-utility analysis of community occupational therapy in dementia (COTiD-UK) versus usual care: results from VALID, a multi-site randomised controlled trial in the UK

<p>Pizzo E et al PLoS ONE 17 (2) cost utility analysis</p>
<p>How do community based dementia friendly initiatives work for people with dementia and their caregivers, and why? A rapid realist review Thijssen M et al International Journal of Geriatric Psychiatry 37 (2) community based dementia friendly</p>
<p>Diagnostic, management and nursing challenges of less common dementias: Frontotemporal dementia, alcohol-related dementia, HIV dementia and prion diseases Laura Davis et al British Journal of Neuroscience Nursing 18 (1) 26–37</p>
<p>Depression</p>
<p>Attentional networks in co-concurring generalized anxiety disorder and major depression disorder: towards a staging approach to the executive control deficits Coussement C et al Comprehensive Psychiatry Vol 113 (Feb) attentional networks</p>
<p>Lay beliefs about the causes and treatment of depression: tests of measurement models and associations Barnwell P et al Journal of Affective diseases Vol 299 (Feb) 93-101</p>
<p>Exploring barriers and facilitators for mental health professionals delivering behavioural activation to young people with depression: qualitative study using the Theoretical Domains Framework Whittenbury K et al BJPsych Open 8 (2) exploring barriers</p>
<p>Disorders</p>
<p>Therapists' thought-action beliefs predict utilization of exposure in Obsessive-Compulsive disorder Jelinek L et al Behavior Therapy 53 (1) 23-33</p>
<p>Characteristics and stability of hallucinations and delusions in patients with borderline personality disorder Niemantsverdriet M et al Comprehensive Psychiatry Vol 113 (Feb) characteristics and stability</p>

Are “not just-right experiences” trait and/or state marker for obsessive-compulsive disorder

Apa F et al

European Journal of Psychiatry 36 (1) 51-59

Relaxation training with and without comprehensive behavioral intervention for tics for Tourette’s disorder: a multiple baseline across participants consecutive case series

Peterson A et al

Journal of Behavior Therapy and Experimental Psychiatry Vol 74 (Mar) relaxation training

Mindfulness, mood symptom tendencies and quality of life in bipolar disorder: an examination of the mediating influence of emotion regulation difficulties

Carruthers S et al

Journal of Affective Disorders Vol 298A (Feb) 166-172

Genomic and neuroimaging approaches to bipolar disorder

Oraki M et al

BJPsych Open 8 (2) genomic and neuroimaging

Gambling advertising and harm caused by gambling

For some people gambling can lead to financial difficulties, deteriorating health, crime and other harms. This briefing explores the links between gambling ads and ‘problem gambling’.

Smith C

Click [here](#) to read the full House of Lords briefing

Effects of caffeine on anxiety and panic attacks in patients with panic disorder: a systematic review and meta-analysis

Klevebrant L, Frick A

General Hospital Psychiatry Vol 74 (Jan) 22-31

Eating Disorders

Predictors of symptom trajectories after cognitive-behavioral therapy in adolescents with an age-adapted diagnosis of binge-eating disorder

Schmidt R, Hilbert A

Behavior Therapy 53 (1) 137-149

The altered brain network architecture of Anorexia Nervosa

Desribieres S

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 142-143

Altered white matter connectivity in young acutely underweight patients with Anorexia Nervosa

Geisler D et al

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 331-340

Intellectual Disabilities

The European guideline on the assessment and diagnosis of psychiatric disorders in adults with intellectual disabilities

Deb S et al

European Journal of Psychiatry 36 (1) 11-25

Time to recognise nonverbal learning disability to foster advances in its research

Mammarella I

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 120-121

Systematic Review: Nonverbal Learning Disability

Fisher P et al

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 159-186

LGBTQ+

Mental health conditions in Lesbian, Gay, Bisexual, Transgender, Queer and Asexual youth in Brazil: a call for action

Terra T et al

Journal of Affective Disorders Vol 298A 190-193

Receipt of evidence-based alcohol-related care in a national sample of transgender patients with unhealthy alcohol use: overall and relative to non-transgender patients

Williams E et al

Journal of Substance Abuse Treatment 131 (Dec) unhealthy alcohol use

LGBTQ youth mental health during Covid-19: unmet needs in public health and policy

Ormisyon C, Williams F

Lancet 399 (10324) 501-503

Beyond Trans competency: imagining a Trans liberatory future

Rodman et al

Lancet 399 (10324) 514-515

Mental Health and Physical Activity

None this month

Mindfulness/Wellbeing

Effects of mindfulness-based stress reduction on psychological distress in health workers: a three-arm parallel randomized controlled trial

Errazuriz A et al

Journal of Psychiatric Research Vol 145 (Jan) 284-293

Resilience and stress as mediators in the relationship of mindfulness and happiness

Bajaj B et al

Frontiers in Psychology epub resilience and stress

Miscellaneous

Transition to telehealth for Mental Health Clinics: future considerations

Perez G, Szigethy E

Journal of the American Academy of Child & Adolescent Psychiatry 61 (2) 131-133

Robots in geriatric mental health: pipe dream or viable solution?

Sekhon H et al

American Journal of Geriatric Psychiatry 30 (2) 246-248

The crossroads of digital phenotyping

The term 'Digital Phenotyping' has started to appear with increasing regularity in medical research, especially within psychiatry. This aims to bring together digital traces (e.g., from smartphones), medical data (e.g., electronic health records), and lived experiences (e.g., daily activity, location, social contact), to better monitor, intervene, and diagnose various psychiatric conditions.

Davidson B

General Hospital Psychiatry Vol 74 (Jan) 126-132

Professional

A report on successful introduction of tele mental health training for primary care doctors during the Covid-19 pandemic

Philip S et al

Asian Journal of Psychiatry Vol 68 (Feb) tele mental health training

Transforming MRCPsych theory examinations: digitisation and very short answer questions (VSAQs)

Scheeres K et al

BJPsych Bulletin 46 (1) 52-56

Schizophrenia

People with schizophrenia use less information to interpret ambiguous social situations

Cavieres A et al

Journal of Behavior Therapy and Experimental Psychiatry Vol 74 (Mar) schizophrenia

Seminar: Schizophrenia

Sameer Jauhar et al

Lancet 399 (10323) 473-486

Evaluation of the correlation between gaze avoidance and schizophrenia psychopathology with deep learning-based emotional recognition

Jeon G et al

Asian Journal of Psychiatry Vol 68 (Feb) gaze avoidance

Preventing relapse in schizophrenia needs better evidence

Giovanni Ostuzzi et al

Lancet 399 (10327) 773-775

Comparative efficacy and tolerability of 32 oral and long-acting injectable antipsychotics for the maintenance treatment of adults with schizophrenia: a systematic review and network meta-analysis

Johannes Schneider-Thoma et al

Lancet 399 (10327) 824-836

Self-harm and Suicide

Effect of suicidal loss on bereaved individuals' suicidal ideation: structural equation model using attitudes towards suicide scale and moderation effect of interest in news media

Lee H et al

Journal of Affective Disorders Vol 298A pp51-57

Quality over quantity? The role of social contact frequency and closeness in suicidal ideation and attempt

Mueller N et al

Journal of Affective Disorders Vol 298A 248-255

Opioid agonist treatment for self-harm and suicide prevention

Nestadt P, Athey A

Lancet Psychiatry 9 (2) 100-101

Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study

Padmanathan P et al

Lancet Psychiatry 9 (2) 151-159

Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial

Abbar M et al

BMJ 376 (8324) ketamine for the acute treatment

A comparison of physician-assisted/Death-With-Dignity-Act death and suicide patterns in older adult women and men

Canetto S et al

American Journal of Geriatric Psychiatry 30 (2) 211-220

Death with dignity and suicide compared

Beekham A et al

American Journal of Geriatric Psychiatry 30 (2) 221-222

Self-harm and suicide in adults: will safety plans keep people safe after self-harm?

House A

BJPsych Bulletin 46 (1) 1-3

Ketamine vs midazolam: mood improvement reduces suicidal ideation in depression

Hochschild A et al

General Hospital Psychiatry 300 (Mar) 10-16

Sleep health/Disorders

Relationships among sleep disturbance, reward system functioning, anhedonia and depressive symptoms

Wieman S et al

Behavior Therapy 53 (1) 105-118

Lay awake with a racing mind: the associations between sexual objectification, insomnia and affective symptoms

Jiang Y et al

Journal of Affective diseases Vol 299 (Feb) 359-366

Alzheimer's Disease and sleep disorders: insights into the possible disease connections and the potential therapeutic targets

Marde V et al

Therapies/OT in mental health

Identifying occupational therapy outcome measures supportive of recovery-orientated mental health services in Ireland

Kearns R et al

Irish Journal of Occupational Therapy 49 (1) 41-50

The role of occupational therapy within an acute mental health setting: a naturalistic cohort study

Skaltsi P et al

Psychiatric Annals 51 (3) 131-139

Organizational perspectives on outdoor talking therapy: towards a position of 'environmental safe uncertainty'

Cooley S et al

British Journal of Clinical Psychology 61 (1) 132-156

Bulletin prepared by LPFT Library and Knowledge Services

Tel: 01476 464321

email: library.grantham@ulh.nhs.uk

www.nhslincslibrary.uk