

*

Mental Health Current Articles Bulletin – September 2022

How to Obtain an Article

If you would like to request any articles included in this bulletin, or to be put onto the bulletin's distribution list, please contact Library and Knowledge Services at Grantham Hospital:

Tel: 01476 464321

email: library.grantham@ulh.nhs.uk

If you require an in-depth search on a topic featured in this bulletin then please contact clinical.librarian@ulh.nhs.uk

Alcohol and Substance Abuse
<p>Addressing the unmet need in alcohol service provision: outpatient clinics and a new model of treatment for alcohol dependency Fernandez J, Ryan J British Journal of Mental Health Nursing 11 (3) addressing the unmet need</p>
<p>Unravelling reciprocal effects among young adults' binge drinking, stress and anticipated regret Modecki K et al Addictive Behaviors Vol 135 (Dec) unravelling reciprocal effects</p>
<p>Examining the role of problematic drug use in the relationship between discrimination and sleep disturbance in transgender and nonbinary individuals Belloir J et al Addictive Behaviors Vol 135 (Dec) problematic drug use</p>
<p>Addressing the crises in treating substance use disorders in later-life: Tele-medication Assisted Treatment (TELE-MAT) for an older adult population Rosen D American Journal of Geriatric Psychiatry 30 (10) 1064-1066</p>
<p>Mortality risk for individuals with cannabis use disorders in relation to alcohol use disorders: results of a follow-up study</p>

<p>Pavarin R Psychiatry Research 316 (Oct) mortality risk</p>
<p>Autism</p>
<p>The desire and fear of discharge from mental health units by people with autistic spectrum conditions: a phenomenological study Maloret P et al British Journal of Mental Health Nursing 11 (3) desire and fear</p>
<p>Developmental and mental health risks among siblings of patients with autism spectrum disorder: a nationwide study Lin H et al European Child & Adolescent Psychiatry 31 (9) 1361-1366</p>
<p>Posttraumatic growth and rumination among parents of children with autism spectrum disorder: the mediating role of social support Feng Y et al Journal of Psychiatric Research 154 (Oct) 11-18</p>
<p>Risk prediction of autism spectrum disorder behaviors among children based on blood elements by nomogram: a cross-sectional study in Xinjiang from 2018-2019 Zhang Y et al Journal of Affective Disorders 318 (Dec) 1-6</p>
<p>Bereavement and grief</p>
<p>Factors related to suicidal ideation among bereaved family members of patients of cancer: results from a nationwide bereavement survey in Japan Aoyama M et al Journal of Affective Disorders 316 (Nov) 91-98</p>
<p>Expressions of grief in online discussion forums-linguistic similarities and differences in pet and human bereavement Lyons M et al Omega 85 (4) 1007-1025</p>
<p>How we manage grief <i>Extensive literature exists on coping with the death of a patient with cancer, with much of the focus on what to say to the patient's family before and after the death. This focus is certainly appropriate, but what of the oncologist's own repeated exposure to death?</i> Glanos A et al Clinical Advances in Hematology & Oncology 20 (9) 561-563</p>
<p>Associations of dimensions of anger with distress following traumatic bereavement Lonneke I et al Psychological Trauma: Theory, Research, Practice, and Policy epub associations</p>

Navigating complex grief

Jackson C

Therapy Today 33 (6) 18-22

Child and Adolescent Issues

A self-help version of the New Forest Parenting Programme for parents of children with attention deficit hyperactivity disorder: a qualitative study of parent views and acceptability

Tarver J et al

Child and Adolescent Mental Health 27 (3) 215-222

Editorial Perspective: How can we help the children of Ukraine and others affected by military conflict

Calam R et al

Child and Adolescent Mental Health 27 (3) 294–296

Editorial: Dismantling structural racism in children’s mental health services: how do we do it?

Pumariega A

Journal of the American Academy of Child & Adolescent Psychiatry 61 (9) 1078-1080

Unpacking the relation between children’s use of digital technologies and children’s well-being: a scoping review

Messena M, Everri M

Clinical Child Psychology and Psychiatry epub unpacking the relation

Covid-19

“The world somehow stopped moving”: the impact of the Covid-19 pandemic on adolescent psychiatric outpatients and the implementation of teletherapy

Mercedes M et al

Clinical Child Psychology and Psychiatry 2 (3) 232-237

Covid-19 and youth who have experienced commercial sexual exploitation: a role for child mental health professionals during and in the aftermath of a pandemic

Junewicz A et al

Journal of the American Academy of Child & Adolescent Psychiatry 61 (9) 1071-1073

Prevalence of anxiety during the Covid-19 pandemic: a systematic review and meta-analysis of over 2 million people

Delpino F et al

Journal of Affective Disorders 318 (Dec) 272-282

International PRISMA scoping review to understand mental health interventions for depression in Covid-19 patients

Chennapragada L et al
Psychiatry Research 316 (Oct) international PRISMA scoping review

Communicating and reading emotion with masked faces in the Covid era: a short review of the literature

Ramdani C et al
Psychiatry Research 316 (Oct) communicating and reading

Dementia and Alzheimer's Disease

How can I improve cancer services for people with dementia?

Farrington N et al
Cancer Nursing Practice 21 (5) people with dementia

Personalised meaningful music for people with dementia

McShane D
British Journal of Nursing 31 (16) 836

Identifying delirium in persons with moderate or severe dementia: review of challenges and an illustrative approach

Fong T et al
American Journal of Geriatric Psychiatry 30 (10) 1067-1078

Neuropsychiatric symptoms influence differently cognitive decline in older women and men

Lucas R et al
Journal of Psychiatric Research 154 (Oct) 1-9

Depression

Effectiveness of case management with problem-solving therapy for rural older adults with depression

Hollister B et al
American Journal of Geriatric Psychiatry 30 (10) 1083-1092

Depression/anxiety symptoms and self-reported difficulty managing medication regimen among community-dwelling older adults

Choi N et al
General Hospital Psychiatry 78 (Sept) 50-57

Description of antidepressant withdrawal symptoms in clinical practice guidelines on depression: a systematic review

Sorensen A et al
Journal of Affective Disorders 316 (Nov) 177-186

Loneliness is associated with maladaptive schema modes in patients with persistent depressive disorder

Reinhard M et al

Journal of Psychiatric Research 154 (Oct) 56-60

Disorders

Behavioural and physiological indicators of pain in people with communication disorders: a systematic review

Canegallo V et al

Life Span and Disability 25 (1) 7-44

Symptom severity mixity in older-age bipolar disorder: analyses from the Global Aging and Geriatric Experiments in Bipolar Disorder Database (GAGE-BD)

Eyler L et al

American Journal of Geriatric Psychiatry 30 (10) 1096-1107

The global assessment of OCD

Pampaloni I et al

Comprehensive Psychiatry 119 (Oct) global assessment

Bipolar disorder in primary care: medication treatment by co-located psychiatrists versus primary care clinicians supported by psychiatrists

Cerimele J et al

General Hospital Psychiatry 78 (Sept) 108-110

The relationship between morningness-eveningness and mood symptoms and quality of life in euthymic state of mood disorders: results from a prospective observational cohort study

Seo J et al

Journal of Affective Disorders 316 (Nov) 10-16

The real-world health resource use and cost of misdiagnosing bipolar I disorder

McIntyre R et al

Journal of Affective Disorders 316 (Nov) 26-33

Perceptions of various treatment approaches for adults and children with misophonia

Smith E et al

Journal of Affective Disorders 316 (Nov) 79-82

Pain sensitivity is modulated by affective temperament: results from the population-based CHRIS Affective Disorder (CHRIS-AD) study

Favaretto E et al

Journal of Affective Disorders 316 (Nov) 109-216

Cognitive-Affective reactions to a non-judgmental and judgmental mirror gazing task in individuals with body dysmorphic concerns

Schoenenberg K, Martin A
Journal of Behavioral Therapy & Experimental Psychiatry 77 (Dec) cognitive-affective reactions

Eating Disorders

Exploring skill utilization as a mechanism of dialectical behavioral therapy among adults with eating disorders in a partial hospitalization program

Karam A et al
Journal of Behavioral and Cognitive Therapy 32 (3) 223-229

Dynamic structural brain changes in anorexia nervosa: a replication study, mega-analysis and virtual histology approach

Bahnsen K et al
Journal of the American Academy of Child & Adolescent Psychiatry 61 (9) 1168-1181

Orbitofrontal neural dissociation of health and unhealthy food reward sensitivity in normal-weight binge eaters

Li W et al
Psychiatry Research 316 (Oct) orbitofrontal neural dissociation

Effects of autism on 30 year outcome of anorexia nervosa

Nielsen S et al
Journal of Eating Disorders 10 (4) effects of autism

The future of eating disorders research: an editorial

Touyz S, Hay P
Journal of Eating Disorders 10 (4) future of eating disorders research

Intellectual and Learning Disabilities

Making reasonable adjustments to cancer services for people with learning disabilities

George S et al
Cancer Nursing Practice 21 (5) making reasonable adjustments

Parents' expectations regarding the choice of secondary school and future employment for students with Specific Learning Disabilities

Giorgetti M et al
Life Span and Disability 25 (1) 87-119

Predictors of secondary traumatic stress among intellectual and developmental disabilities workforce: an examination of risk and protective factors

Boamah D et al
Traumatology epub predictors of secondary traumatic stress

The use of transcranial direct current stimulation (tDCS) to reduce impulsivity and aggression in adults with mild intellectual developmental disabilities: the tDCS-RIADD randomised controlled trial protocol

Walker S et al
Trials 23(2022) transcranial direct current

LGBTQIA+

The impacts of Covid-19 on LGBTQ+ foster youth alumni

LGBTQ+ youth frequently experience disparities in outcomes related to permanency and overall well-being while in out-of-home care. These negative outcomes often persist after youth have transitioned out of care, particularly in the domains of housing, education, employment, and mental health. Initial research has found that the ongoing COVID-19 pandemic has exacerbated negative physical and mental health outcomes, as well as decreased economic stability among transition age youth.

Washburn M et al
Child Abuse and Neglect 133 (Nov) impacts of covid-19

Trends in deaths by suicide 2014-2019 among lesbian, gay, bisexual, transgender, queer, questioning and other gender/sexual minority (LGBTQ+) youth

Ream G et al
Journal of Adolescent Health epub trends in death

Diversity and inclusion: impacts on psychological wellbeing among lesbian, gay, bisexual, transgender and queer communities

Chan A et al
Frontiers in Psychology 13 (Apr) diversity and inclusion

Miscellaneous

Distinguishing everyday evil: towards a clinical inventory of extreme and outrageous behaviors, actions and attitudes

Welner M et al
Journal of Psychiatric Research 154 (Oct) 181-189

The effect of family-centred empowerment model on the quality of life of adults with chronic diseases: an updated systematic review and meta-analysis

Alhani F et al
Journal of Affective Disorders 316 (Nov) 140-147

Writing notes, thinking about people

In 2021, a research group led by Jenny Park published a qualitative study of 600 medical encounter notes written by 138 physicians.² The researchers found some language that conveyed positive regard, was clearly informative, and effective, while also discovering at least 5 ways in which doctors expressed negative feelings toward their patients.

Usher C
Journal of the American Academy of Child & Adolescent Psychiatry 61 (9)1194-1195

The meaning in grandiose delusions: measure development and cohort studies in clinical psychosis and non-clinical general population groups in the UK and Ireland

Isham L et al

Lancet Psychiatry 9 (10) 792-803
<p>The reliability of symptom assessment by telepsychiatry compared with face to face psychiatric interviews Yung H et al Psychiatry Research 316 (Oct) symptom assessment</p>
Schizophrenia
<p>Relation between frontal pole volumes and cognitive insight into schizophrenia Korann V et al Asian Journal of Psychiatry Vol 76 (Oct) relation</p>
<p>Driving fitness in clinically stable outpatients with chronic schizophrenia Biedermann F et al Comprehensive Psychiatry 119 (Oct) driving fitness</p>
<p>A systematic review of licensed weight-loss medications in treating antipsychotic-induced weight gain and obesity in schizophrenia and psychosis Lee K et al General Hospital Psychiatry 78 (Sept) 58-67</p>
<p>Is clinical insight a determinant factor of subjective recovery in persons living with schizophrenia or schizoaffective disorders? Galliot G et al Psychiatry Research 316 (Oct) clinical insight</p>
Self-harm and Suicide
<p>How to talk openly with terminally ill people who are at risk of suicide Wood R Cancer Nursing Practice 21 (5) terminally ill people</p>
<p>Emotion regulation as a mediator between early maladaptive schemas and non-suicidal self-injury in youth Nicol A et al Journal of Behavioral and Cognitive Therapy 32 (3) 161-170</p>
<p>Severity features of suicide attempters with epilepsy Lopez-Castroman J et al Journal of Psychiatric Research 154 (Oct) 44-49</p>
<p>What distinguishes high and low-lethality suicide attempts in older adults? A systematic review and meta-analysis Barker J et al</p>

Journal of Psychiatric Research 154 (Oct) 91-101
<p>Suicidal behaviors are associated with loneliness and decrease during inpatient CBASP treatment for persistent depressive disorder Wolf J et al Journal of Psychiatric Research 154 (Oct) 139-144</p>
<p>Trajectories of treatment response and nonresponse in youth at high risk for suicide Berk M et al Journal of the American Academy of Child & Adolescent Psychiatry 61 (9) 1119-1130</p>
<p>Sleep health/Disorders</p>
<p>Sleep disorder as a clinical risk factor for major depression: associated with cognitive impairment Chen R et al Asian Journal of Psychiatry Vol 76 (Oct) sleep disorder</p>
<p>Longitudinal associations throughout adolescence: suicidal ideation, disturbing dreams and internalizing symptoms El-Hourani M et al Sleep Medicine 98 (Oct) 89-97</p>
<p>Prevalence of mouth breathing with or without nasal obstruction, in children with moderate to severe obstructive sleep apnea Bokov P et al Sleep Medicine 98 (Oct) 98-105</p>
<p>Validation of the Pediatric Narcolepsy Screen Questionnaire (PNSQ): a cross-sectional, observational study Morris S et al Sleep Medicine 98 (Oct) 127-138</p>
<p>Sleep dissatisfaction is a potential marker for nomophobia in adults <i>NOMOPHOBIA is a term used to describe an anxiety disorder in which people fear being disconnected from their mobile phones. Strong associations between nomophobia and insomnia have previously been documented. However, there is no clear explanation for this relationship between the two disorders. The present study was designed to first determine the diagnostic precision of the Insomnia Severity Index (ISI) various components in detecting or classifying nomophobia; and second, examine the diagnostic performance of the identified ISI components in classifying nomophobia.</i> Jahrami H et al Sleep Medicine 98 (Oct) 152-157</p>
<p>Waking up to the importance of sleep Horton,R Lancet 400 ((10357) 973</p>

Sleep and Sleep Disorders 1
Understanding and approaching excessive daytime sleepiness
Laura Pérez-Carbonell et al
Lancet 400 ((10357) 1033-1046

Sleep and Sleep Disorders 2
Insomnia
Michael L Perlis et al
Lancet 400 ((10357) 1047-1060

Sleep and Sleep Disorders 3
Circadian rhythms and disorders of the timing of sleep
Nicholas Meyer et al
Lancet 400 ((10357) 1061-1078

Therapies/OT in mental health

Therapist- and therapy-related predictors of outcomes in a randomized controlled trial of school-based treatments for pediatric anxiety
Orlando C et al
Journal of Behavioral and Cognitive Therapy 32 (3) 171-182

Family art therapy: a contribution to mental health treatment in an adolescent inpatient setting
Nielsen F et al
Australian and New Zealand Journal of Family Therapy 42 (2) 145-159

Editorial: Dialectical Behavior Therapy: more is not always better when different is required
Janssrn A, Walkup J
Journal of the American Academy of Child & Adolescent Psychiatry 61 (9) 1084-1086

Bulletin prepared by LPFT Library and Knowledge Services

Tel: 01476 464321

email: library.grantham@ulh.nhs.uk

www.nhslincslibrary.uk